PRACTICAL GUIDE
2016



SeaMAID
LED Lighting Solutions

LED LIGHTING SYSTEMS FOR POOLS & GARDENS

SUMMARY

Find out more about SeaMAID 3

Safety and installation guidelines
For pool lighting 4

PAR56 lamp ..... 5 - 6 - 7

Flat projector ..... 8 - 9 - 10 - 11

Kit for above ground pools ..... 12 - 13 - 14

Mini projector ..... 15 - 16 - 17 - 18

Stainless steel projector ..... 19 - 20 - 21

Stainless steel bollard ..... 22 - 23 - 24

Remote control switch ..... 25 - 26 - 27

AIO, the multi-purpose projector ..... 28 - 29 - 30 - 31

Accessories 32

Communication tools 33

Find out more about SeaMAID

SeaMAID's foundations are laid on 3 fundamental points:

• Innovation:

With its external R&D office, SeaMAID has a very strong innovation policy. The close links formed with a French laboratory are a major asset, giving the company autonomy and reactivity. Constantly in touch with the needs of the market, the SeaMAID brand works on new lighting systems and exclusive products on a daily basis.

As new proof of its innovative spirit, SeaMAID has invested in the development and manufacture of a subaquatic device, jointly with the CSTB (Scientific and Technical Centre for Construction) in Nantes and the LNE (National Laboratory for Testing).

This equipment, **new to the world market,** is used to measure the luminous flow of an underwater light, with a view to defining its reviewed energy class in accordance with the new European regulation 874/2012, applicable since September 2013(1).



GROUP 0
EN62471 : 2008

Within this context, SeaMAID offers new and compliant energy performance for its white lamps and projectors - which you can discover in the following pages - that can be measured in real time using this reliable tool.

• The quality and reliability of the products being developed and put on sale:

Each projector holds the TUV RHEINLAND certification, and comes with a 24-month standard exchange warranty.
The materials used are specially adapted for the conditions in which the product will be used: resistance to treatment products, shocks, temperature variation, UV radiation, anti-corrosion, etc.

TÜVRheinland
REACH RoHS CE

• Continuous improvement of the service provided to professionals:

SeaMAID offers a structured range of products.
Initially specialising in pool lighting, SeaMAID now also applies its expertise in garden lighting.

SeaMAID is committed to working closely alongside its customers, and is always open to new suggestions with regards to improving its products and the help given to market them.

About the process

By choosing LED technology, SeaMAID is able to offer new, safe lighting solutions that do not heat up or dazzle bathers.

SEAMAID ADVANTAGES

To make the underwater lighting more **effective** and **comfortable**, SeaMAID has developed a specific and **unique** optic lens that combines a harmony of colours with non-glare lighting.
The radio system that controls the **SeaMAID** colour projectors guarantees a perfect signal between the receiver and the remote control, **even underwater**.

SEAMAID, QUALITY AND RELIABILITY GUARANTEED.

REPRODUCTION FORBIDDEN
REGISTERED MODELS & PATENTS

SAFETY AND INSTALLATION GUIDELINES FOR POOL LIGHTING

Installing a SeaMAID LED pool projector

LED pool light must be installed using the same safety guidelines and common sense as with a halogen or incandescent projector.

SeaMAID LED lights are designed to operate at a maximum voltage of ~12 volts, in line with the EN60598-2-18 standard.



Image credits: Groupe PROCOPI

ELECTRICITY CABINET

Image credits: AQUALUX

IMPORTANT PRECAUTIONS:

1. Always make sure that the projector power cable connections are perfectly watertight.
If replacing a PAR56 bulb, you must always change the projector's seal that has been heated and lost its shape.
Water in terminals = irreversible damage not covered by warranty

2. Always use connectors that provide perfect contact between electrical cables.
Guarantee a perfect seal by using IP68 connectors, or by applying insulating gel into the connection box.
Water inside casing = irreversible damage not covered by warranty

3. Always connect the pool projector to an insulated safety transformer, double coil with output voltage of ~12V.
If secondary voltage is unstable or above the stated tolerance, then you must install a stabilizing and/or limiting mechanism before the electricity panel.
Over voltage = irreversible damage not covered by warranty

PROPERLY INSTALLED PROJECTOR = EFFECTIVE AFTER-SALES SUPPORT

PAR56 UNIVERSAL LED LAMP

The universal SeaMAID PAR56 lamp can be installed in all niches on the market without requiring specific work, and can be used to replace a traditional 300W incandescent lamp.

The SeaMAID PAR56 lamp is:

Resistant:

It is made using polycarbonate injection which makes it highly resistant to shock, heat and chemical attacks from water treatment products.
Two terminals with screws moulded into the cup provide a rock-solid connection to the 12-volt power cable connection.

Reliable and efficient:

Its friction-welded optic lens, which has been specially developed for underwater lighting, spreads light around the pool evenly and excellently without dazzling bathers.

Economical:

Its LED light source means that major savings can be made by pool users (energy savings) and also by professionals, when building a pool.

A 2x1.5mm² power cable connected to a 50W toroidal safety transformer is all that is needed to install a SeaMAID PAR56 lamp (savings in labour and materials).

OTHER BENEFITS

- Low energy consumption
- Saves work during installation
- Long lifespan
- No risk of overheating
- No risk to eyes
- Safe for children
- Easy to install, and easy to use
- 24 month warranty
- TUV certified

Colour lighting

To add splashes of colour to your pool, this lamp has **11 colours and 5 automatic programs.** The exclusive SeaMAID optic lens brings out a harmonious blend of colours.

> Includes a memory of the last program used and a Reset function.

270 LED RGB On/Off version

Ref. 500736 • IP68 (1m) • CLASS III • 15,9W

270 LED RGB version with remote control

Ref. 500682 • IP68 (1m) • CLASS III • 15,9W

36 LED RGB On/Off version POWER LED

Ref. 501399 • IP68 (1m) • CLASS III • 35W

36 LED RGB version with remote control POWER LED

Ref. 501405 • IP68 (1m) • CLASS III • 35W

White lighting

Ideal as a replacement for 300W incandescent lamps, this lamp spreads light evenly around pools up to 10 x 5 meters, without dazzling bathers.

30 LED WH On/Off version

Ref. 501115 • IP68 (1m) • CLASS III • 14,7W



39 LED WH version with remote control

> **3 programmed intensity levels**

Ref. 501139 • IP68 (1m) • CLASS III • 16,6W



INSTALLATION RECOMMENDATIONS

- These pool lamps must be connected to a two-coil insulated safety transformer that is at least 20% more powerful than the total absorbed power.
- When fitting the lamp, **it is necessary to grease (using the lubricant provided)** the section behind the lamp to make it easier to screw on the watertight cover and change the projector seal if it has already been used.
- When using for the first time, it is necessary pair the remote control provided with lamps 501139 and 500682.
- As an optional extra, you may install a radio switch between the lamp (or group of lamps) and the ~12V transformer in order to remotely turn the device on an off, or synchronise multiple devices.



FLAT PROJECTOR

NEW = Flat optic lens
LESS BULKY

TO SCREW ONTO A 1,5'' VACUUM FITTING

The SeaMAID flat projector is compatible with all kinds of pools and is ideal for liner-fitted pools, as a PAR56 projector could lead to leakage problems.

The SeaMAID flat projector is:

Resistant:

Made using polycarbonate injection, making it highly resistant to shock, heat and chemical attacks from water treatment products.

Reliable and efficient:

Its friction-welded optic lens, which has been specially developed for underwater lighting, spreads light around the pool evenly and excellently without dazzling bathers.

Economical:

Its LED light source means that major savings can be made by pool users (energy savings) and also by professionals, when building a pool.

A 2x1.5mm² power cable connected to a 50W toroidal safety transformer is all that is needed to install a SeaMAID PAR56 lamp (savings in labour and materials).

Easy to install:

The rear of the plug has a 1.5" male thread, to make it easier to install, as no specialist tools are required.

You just need a wall fitting with a 1.5" vacuum fitting at the end, and then screw the rear part of the flat SeaMAID projector into it by hand. The power lead is fed through the vacuum fitting in watertight conduit up to a connection box (provided with 2m of 2x1.5mm HO7RNF cable) and with a special installation kit.

OTHER BENEFITS

- Low energy consumption
- Saves work during installation
- Long lifespan
- No risk of overheating
- No risk to eyes
- Safe for children
- Easy to install, and easy to use
- 24 month warranty
- TUV certified

Colour lighting

To add splashes of colour to your pool, this projector has **11 colours and 5 automatic programs.** The exclusive SeaMAID optic lens brings out a harmonious blend of colours.

> Includes a memory of the last program used and a Reset function.

270 LED RGB On/Off version

Ref. 501191 • IP68 (1m) • CLASS III • 15,9W

270 LED RGB version with remote control

Ref. 501184 • IP68 (1m) • CLASS III • 15,9W

White lighting

Ideal as a replacement for 300W incandescent lamps, this projector spreads light around pools up to 10 x 5 meters evenly, without dazzling bathers.

30 LED WH On/Off version

Ref. 501160 • IP68 (1m) • CLASS III • 14,7W



39 LED WH version with remote control

> **3 programmed intensity levels**

Ref. 501177 • IP68 (1m) • CLASS III • 16,6W



Installation diagram



1	Projector
2	Vacuum fitting
3	F2'' threated / F50 to glue adapter
4	50mm flexible conduit
5	Cable
6	F50 to glue / M¾ threated
7	Connexion box

Winding of cable in the connection box

INSTALLATION RECOMMENDATIONS

- These pool projectors must be connected to a two-coil insulated safety transformer that is at least 20% more powerful than the total absorbed power.
- It is important to check **the compatibility of the vacuum fitting before finalising installation.** Certain models equipped with a stop thread are not suitable.
- The wall fitting will be connected to the connection box with watertight conduit. For best results, **use connection accessories from SeaMAID** to guarantee a completely waterproof installation.
- Roll the extra cable up in the connection box to ensure that you will be able to replace the projector in the future out of the water.
- When using for the first time, it is necessary to pair projectors 501177 and 501184 with the remote control provided.
- As an optional extra, you may install a radio switch between the lamp (or group of lamps) and the ~12V transformer in order to remotely turn the device on and off, or synchronise multiple devices.



KIT FOR ABOVE GROUND POOLS

TO BE SCREWED ONTO AN OUTLET FITTING

Designed to be installed without requiring any specialist work or equipment, the SeaMAID Lighting Kit can be installed into any above ground hard-wall pool that has at least one outlet fitting with a 1.5" female thread.

The SeaMAID Lighting Kit is:

Resistant:

Made using polycarbonate injection, making it highly resistant to shock, heat and chemical attacks from water treatment products.

Reliable and efficient:

Its friction-welded optic lens, which has been specially developed for underwater lighting, spreads light around the pool evenly and excellently without dazzling bathers.

Economical:

Its LED light source means that major energy savings can be made by pool users.

Easy to install:

Simply remove the cover before unscrewing the outlet fitting nozzle. Place the projector's plate against the wall fitting and screw the nozzle back on. If the nozzle model you are using is unsuitable, use the adaptor provided. Feed the cable under the edge and connect it to the mains.

OTHER BENEFITS

- Low energy consumption
- Saves work during installation
- Long lifespan
- No risk of overheating
- No risk to eyes
- Safe for children
- Easy to install, and easy to use
- 24 month warranty
- TUV certified

Colour lighting

To add splashes of colour to your pool, this projector has **7 colours and 3 automatic programs.** The exclusive SeaMAID optic lens brings out a harmonious blend of colours.
It can be remotely controlled using a built-in radio system providing perfect connection and synchronization.

> It includes a memory of the last program used and a Reset function. A ~220V/12V of 10W transformer with a 6-meter cable and a screw adaptor are provided.

Colour version with remote control

Ref. 500699 • IP68 (1m) • CLASS III • 7,2W

White lighting

The ideal solution for easy installation in above ground hard-wall pools.

18 LED WH version

Ref. 501498 • IP68 (1m) • CLASS III • 8,7W



INSTALLATION RECOMMENDATIONS

- Lay the cable under the edge to prevent it from coming loose.
- When using for the first time, it is necessary to pair the remote control provided with the projector.
- To pair easily, connect the transformer to a multi-socket with an on/off switch.
- Regulation safety distances must be respected at all times and the main power supply must not be closer than 3.50 meters from the water.



MINI PROJECTOR

NEW = Flat optic lens
LESS BULKY

TO SCREW INTO A 1,5'' VACUUM FITTING

The SeaMAID mini projector is compatible with all types of pools. It is specifically designed to light up specific areas of the pool such as immersed beaches, steps, and overflow features during construction. It can also be fitted into above ground pools.

The SeaMAID mini projector is:

Resistant:

It is made using polycarbonate injection which makes it highly resistant to shock, heat and chemical attacks from water treatment products.

Reliable and efficient:

Its friction-welded optic lens, which has been specially developed for underwater lighting, spreads light around the pool evenly and excellently without dazzling bathers.

Economical:

Its LED light source means that major savings can be made by pool users (energy savings) and also by professionals, when building a pool.

A 2x1.5mm² power cable connected to a 10W toroidal safety transformer is all that is needed to install a SeaMAID mini projector (savings in labour and materials).

Easy to install:

The rear of the plug has a 1.5" male thread, to make it easier to install, as no specialist tools are required. You just need a fitting with a 1.5"vacuum fitting at the end, and then screw the rear part of the mini SeaMAID projector into it by hand. The power lead is fed through the vacuum fitting in watertight conduit to the connection box (provided with 2m of 2x1.5mm² HO7RNF cable).

+ OTHER BENEFITS

- Low energy consumption
- Saves work during installation
- Long lifespan
- No risk of overheating
- No risk to eyes
- Safe for children
- Easy to install, and easy to use
- 24 month warranty
- TUV certified

RGB On/Off colour Lighting

To add splashes of colour to your pool, this projector has **11 colours and 5 automatic programs.** The exclusive SeaMAID optic lens brings out a harmonious blend of colours. It is controlled by turning the power on/off at the pool's general electric panel.

> This model can be synchronized with PAR56 lamps and flat SeaMAID colour projectors.

Ref. 500866 • IP68 (1m) • CLASS III • 6,5W

White lighting

Ideally included in the original design, this projector spreads light around a basin area up to 5 meters evenly, without dazzling bathers. It is controlled from the pools electric panel.

Ref. 500859 • IP68 (1m) • CLASS III • 5,2W

Installation diagram

1	Projector
2	Vacuum fitting
3	F2'' threated / F50 to glue adapter
4	50mm flexible conduit
5	Cable
6	F50 to glue / M¾ threated
7	Connexion box





Winding of cable in the connection box

INSTALLATION RECOMMENDATIONS

- These pool projectors must be connected to a two-coil insulated safety transformer that is at least 20% more powerful than the total absorbed power.
- It is important to check the compatibility of the vacuum fitting before finalising installation. Certain models equipped with a stop thread are not suitable.
- The wall fitting will be connected to the connection box with watertight conduit. Using SeaMAID connection accessories to guarantee a completely waterproof installation is recommended.
- Roll the extra cable up in the connection box to ensure that you will be able to replace the projector in the future out of the water.
- For an above ground pool, preferably use the SeaMAID supply box, specially designed to supply electricity to LED projectors.
- As an optional extra, you may install a radio switch between the lamp (or group of lamps) and the ~12V transformer in order to remotely turn the device on an off, or synchronise multiple devices.



STAINLESS STEEL PROJECTOR

The SeaMAID stainless steel projector is designed for lighting up large landscapes, walls and rocky areas. It can harmonize the garden and the pool lighting, and can also be placed underwater to light up a fountain or an ornamental pond.

The SeaMAID stainless steel projector is:

Resistant:

Made from 316L stainless steel, it has excellent resistance to corrosion both in and out of the water.

Reliable and efficient:

Whether for illuminating large trees or low level groves its light projection is both harmonious and powerful.

Economic:

Its LED light source means that major energy savings can be made by users (energy savings) and professionals when being installed.

A 2x1.5mm² power cable connected to a 50W toroidal safety transformer is all that is needed to install a SeaMAID stainless steel projector (savings in labour and materials).

Ready assembled with 2 meters of 2x1.5 mm² HO7RNF cable.

OTHER BENEFITS

- Low energy consumption
- Saves work during installation
- Long lifespan
- No risk of overheating
- No risk to eyes
- Safe for children
- Easy to install, and easy to use
- 24 month warranty
- TUV certified

Colour lighting

To add splashes of colour to your garden, this projector has **11 colours and 5 automatic programs.**

> This model can be synchronized with the SeaMAID PAR56 lamps, and the flat and mini colour projectors.

36 LED RGB On/Off version

Ref. 501214 • IP68 (1m) • CLASS III • 7W

36 power LED RGB On/Off version

Ref. 501511 • IP68 (1m) • CLASS III • 35W

White lighting

The projector has a very wide light angle, which is ideal for low level grove or wall lighting.



18 LED WH version

Ref. 501207 • IP68 (1m) • CLASS III • 8,7W

30 LED WH version

Ref. 501504 • IP68 (1m) • CLASS III • 14,7W

It is controlled from the pool's electric panel.

⊕ ***As an option:*** It is possible to install a remote switch on the ~12V power supply between the projector and the transformer (see radio switch for the SeaMAID range).

+

+

INSTALLATION RECOMMENDATIONS

- These pool and garden projectors must be connected to a two-coil insulated safety transformer that is at least 20% more powerful than the total absorbed power.
- The cable must be connected to a fully watertight box.
- The SeaMAID stainless steel projectors only function with low voltage ~12V. Never connect them to another power supply.
- For best results, use the SeaMAID power supply unit, as it is specially designed to supply power to LED projectors.

If installing into the ground, use the optional grass plug instead of the original plate.

STAINLESS STEEL BOLLARD

The SeaMAID stainless steel bollard is designed to light the surroundings of the pool, and marks out paths and gardens. It can be installed separately by using a specific ~220V/12V power unit or as a complement to an existing pool light.

The SeaMAID stainless steel bollard is:

Resistant:

Made from 316L stainless steel, it has excellent resistance to outdoor corrosion.

Reliable and efficient:

Its built-in reflective light system brings powerful and harmonious results.

Economical:

Its LED light source means that major savings can be made by pool users (energy savings) and also by professionals, when building a pool.

A 2x1.5mm² power cable connected to a 10W toroidal safety transformer is all that is needed to install a SeaMAID stainless steel bollard (savings in labour and materials).

Practical:

The light head can be replaced easily without taking the bollard down. It can be installed on hard ground as well as in soil (grass plug provided).

Cable not included.

+ OTHER BENEFITS

- Low energy consumption
- Saves work during installation
- Long lifespan
- No risk of overheating
- No risk to eyes
- Safe for children
- Easy to install, and easy to use
- 24 month warranty
- TUV certified

RGB colour Lighting On/Off

To add splashes of colour to your garden, this bollard light has **11 colours and 5 automatic programs.**

> This model can be fully synchronized with SeaMAID PAR56 lamps, flat projectors, mini projectors and stainless steel colour projectors.

Ref. 501023 • IP65 • CLASS III • 4W





White lighting

This bollard spreads light around the ground evenly without glare.

Ref. 501016 • IP65 • CLASS III • 3,9W

It is controlled from the pool's electric panel.

⊕ ***As an option:*** It is also possible to install a remote switch on the ~12V power line between the bollard and the transformer (see radio switch for the SeaMAID range).

INSTALLATION RECOMMENDATIONS

- These garden bollards must be connected to a two-coil insulated safety transformer that is at least 20% more powerful than the total absorbed power.

- The SeaMAID stainless steel bollards can only be powered at low voltage ~12 V. Never connect them to a different power supply.

- Use the stake grass plug provided if installing into soil.

- For best results, use the SeaMAID power supply unit, as it is specially designed to supply power to LED projectors.



RADIO CONTROL SWITCH

Available with 1 or 4 channels, the SeaMAID radio control switch is the ideal complement for pool lights. It can control one single lamp or manage an entire lighting system.

The SeaMAID radio control switch is:

Resistant:
The electronics are fitted in a reinforced, water-tight, ABS box for outdoor use.

Reliable and efficient:
Possibility of connecting several SeaMAID projectors without modifying the electric installation.
With its secure radio system, the remote control has an excellent range.

Comfortable:
The user can decide to synchronize all the projectors (1-channel model) or create several different colour schemes in the pool (4-channel model).

Easy to install:
It can be installed without requiring any specific work on the projectors' ~12V power supply. Each box is fitted with connectors for an electric lead of up to 4 mm².

OTHER BENEFITS

- Low energy consumption
- Saves work during installation
- Long lifespan
- No risk of overheating
- No risk to eyes
- Safe for children
- Easy to install, and easy to use
- 24 month warranty
- TUV certified

4-channels model with 8-button remote control

Ideal for managing synchronized or unsynchronized SeaMAID projectors with 4 independent lighting areas or fully synchronised, where every channel can support up to 120W. Only functions with SeaMAID projectors. Wiring up to 2 x 4 mm².

Ref. 500750 • IP65 • CLASS III • 240W

1 channel model with 2-button remote control

Ideal for managing synchronized SeaMAID projectors. Simple on/off mechanism for white lighting or for managing colours for RGB.
Only operates at low voltage; ~12V with projectors from the SeaMAID range. Wiring up to 2 x 4 mm².

Ref. 500743 • IP65 • CLASS III • 120W

INSTALLATION RECOMMENDATIONS

- The SeaMAID remote control switch can only be powered at low voltage ~12 V. Never connect it to a different power supply.
- When using for the first time, it is necessary to pair the remote control provided with each unit.
- Specially designed to only work with projectors from the SeaMAID range, the remote control switches are not compatible with equipment from other brands.
- If you have problems establishing a radio connection, add an optional external antenna, ref: 501412.

AIO,
THE MULTI-PURPOSE LED PROJECTOR

Choice of colours, adjustable light intensity, temperature display, automatic start: AIO is so much more than a projector, it encompasses **a full range of innovative and scalable products**, designed for easy installation; it is the **perfect solution for pool renovation**.

Detailed description of the AIO projector:

Straightforward, safe installation:

AIO does not require any specific work or wall fittings. The projector is mounted below the pool edge without lowering its water level: a 316L stainless steel plate is directly screwed into the concrete belt and lines up with the pool's wall.

Maximum optical performance:

With its new-generation optic lens, 100% of the light stays in the water!
Made up of 36 white or RGB LEDs, the light source focuses the beam vertically and stretches it out over the entire water surface.

Easy to use:

Its touch control panel is fitted into the upper part of the projector, making it the first one ever to be controlled from the pool while swimming! Adjustable light intensity, choice of colours, water temperature display...everything is made easy with the LED display screen that adjusts to outdoor brightness.

OTHER BENEFITS

- 100% manufactured in France
- Chemical resistant
- Compatible with the use of automatic water-cleaning robots
- Compatible with slat-style pool covers
- Complies with EU regulations and standards
- 24 month warranty
- No risk to eyes

Colour lighting

This projector has 12 fixed colours and an automatic program. Light intensity and program speed can be adjusted. Memorises the last selected mode.

36 power LED RGB version

Ref. 501559 • IP68 (1m) • CLASS III • 35W

White lighting

This projector can evenly light up a pool up to 12x6 m without dazzling bathers.
Adjustable light intensity.

36 power LED WH version

Ref. 501559 • IP68 (1m) • CLASS III • 45W

AIO,
A COMPREHENSIVE HIGH-QUALITY RANGE

AIO can also be managed via an external control panel connected to the pool's filtering unit.

EXTERNAL POWER UNIT

The ABS power unit has a touch control panel whereby the user can access all the projector's settings. Two to three perfectly synchronised AIO projectors can be connected to it thanks to its 100W power supply.

Ref. 501566 • IP56 • CLASS III • INPUT AC12V • OUTPUT DC24V • 100W

ERGONOMIC REMOTE CONTROL

The touch control panel is used to remotely control the installation.

Ref. 501573 • CLASS III • 433 MHz

ARE YOU INTERESTED IN AN AIO PROJECTOR?

Prior to its launch during the first half of 2016, our technical sales team can **present the projector to you first hand.**
Make an appointment via our website www.seamaid-lighting.com.

INSTALLATION RECOMMENDATIONS

- The projector's power cable runs through a guide rail towards the top of the plate, and is then connected to the junction box.
- Affixed to the edge of the pool without lowering the water level, the projector is fitted onto the vertical part of the plate and held in place with a screw on the front face.



ACCESSORIES

SeaMAID also offers a range of optional extras for its projectors.

Electrical power supply unit, especially designed for LEDs ~220V/12V

With a 100W insulated safety transformer and 20A protection.

Ref. 500996 • IP55 • CLASS II • 100W

ABS adaptor

3-piece ABS kit M50 / F25 with seal and cable gland.
To fix behind a 50mm vacuum fitting or wall fitting when installing flat projectors or mini projectors.

Ref. 501009

ABS metal plated crown

Replacement crown for flat SeaMAID projectors. Metal treatment by Electro platting on ABS.

Ref. 501061

Installation Kit

ABS two-part kit comprising an F2" threated / F50 to glue adapter and F50 to glue / M¾ threated. To be used when installing SeaMAID flat projectors and mini projectors for in-ground pools.

Ref. 501368

Grass plug for ground installation

Compatible with SeaMAID projectors and stainless steel bollards.

Ref. 501078



External antenna

433.92Mhz radio antenna kit with coaxial cable 3m and plate (for 1 and 4 channel radios).

Ref. 501412

COMMUNICATION TOOLS

Log on to our website to learn more about each of the products in the range.
SeaMAID: watch our installation guide videos or download our guides.
On social media and YouTube, you can stay up to date with the latest SeaMAID news and get a first look at our new products.

CONTACT ALPHADIF FOR ANY REQUEST YOU MAY HAVE:

Postal address: 1522 Avenue de Draguignan / BP355 / 83077 TOULON Cedex 9
Office address: 1522 Avenue de Draguignan / ZI Toulon Est / 83130 LA GARDE
Tel.: +33 (0)4 98 04 62 95
Fax: +33 (0)4 98 04 62 99

For all technical information as well as videos and detailed installation guides, please visit
www.seamaid-lighting.com

Follow us on facebook!

SeaMAID Eclairage LED
Piscines & Jardins

www.seamaid-lighting.com