









WHAT'S NEW FOR 2024



THE NEW NO(T)MAD PACKAGING AND PORTABLE SOLAR PANEL

SEE PAGE 26






ABS ADAPTER FOR INSTALLING LEDINPOOL PROJECTORS IN A DESJOYAUX FILTERING UNIT







INNOVATION AS A SOURCE OF ENERGY

European leader in the LED swimming pool market since 2006, SEAMAID applies all its know-how to offer LED lighting solutions with the same ambition: to provide quality lighting solutions at competitive prices.

In constant touch with market needs, SEAMAID innovates day after day.

The aim was to develop new, patented lighting systems that would allow you to enjoy your outdoors to the full.

Today, SEAMAID offers a complete range of floodlights for the pool, the garden and to take anywhere.

FIVE GOOD REASONS TO CHOOSE SEAMAID

1 High quality, hardwearing products:

When you decide on a SEAMAID projector, you're choosing a lighting system with very high resistance to impact, heat, and environmental damage.

2 Product reliability:

All our projectors are certified compliant with standards by TUV RHEINLAND. They also come with a **24-month guarantee based on standard exchange**. All product development at SEAMAID is compliant with current ROhS, REACH and EC requirements.

Projectors that are easy to install and use:

With no need for tools or specific equipment, installing a SEAMAID product is child's play! We've thought of everything to help you, as a professional, make savings on materials and optimise labour costs. And our installation help videos are there to assist you with the slightest difficulty.

4 Safety:

To make our in-water lighting even more user-friendly and efficient, we've developed a unique, specific optic lens. Our products are classified as zero risk according to standard 62471 (the photobiological safety standard) and are entirely safe for the eyes. Because they don't heat, there is no risk of burns in the event of direct skin contact.

5 A committed team to support you :

To support professionals like you as you market and sell our projectors, we have developed a number of tools especially for you: help videos for sales and installation, technical guides and data sheets, our catalogue, and more. And to keep up-to-date with our news and get previews of our latest products, join us on Instagram, Facebook, LinkedIn and Youtube.

If it's additional product information or a practical tip you need, our team is always ready to help!



LED POOL LIGHTING

No longer just for swimming, pools have become an integral part of a home's living spaces.

People all over the world are increasingly using lighting to show it off to its best advantage. But not just any lighting...

So, why should you choose LED lighting?

Allow us to explain!

FOR YOU, AS PROFESSIONALS:

At the construction stage, projectors **keep installation costs down**: smaller-diameter cabling, less powerful transformers, more flexible cable simplifying connection and completion of works. The advantages are clear.

FOR YOUR CUSTOMERS:

LED means **cost-effectiveness in use!** With an estimated lifespan of over 20,000 hours, and **low energy consumption** (40W for the most powerful projectors), our LED projectors use less energy than conventional lights.

When you choose LED lighting, you're choosing safety... Because they don't heat, there is no risk of burns with our projectors on direct skin contact while swimming.

Thanks to LED lighting, you can choose between traditional white light, or go for a colourful hues in your pool!



SERVICE+

You opted for SEAMAID's LED lighting for your pool, and to thank you, we would like to give you an extra year's guarantee, free of charge.


To make the most of this offer, simply select your light in the list and **register it online**.

To do so, all you need is your **proof of purchase** and **manufacturing batch number**.

Where can your batch number be found?

The batch number can be found on the outer package, on the instruction sheet or on the product itself.

The batch number is always made up of 8 or 11 digits; e.g.: 19102CBB or 21074DBB111.





I log on to www.seamaid-lighting.com services / extended warranty section

4-STEP REGISTRATION

- 1 create your user account
- 2 select your light
- state your date of purchase and manufacturing batch number
- 4 confirm application



AFTER-SALES SERVICE

If you encounter a problem with the **installation** or **use** of your SEAMAID LED lighting, our specialized teams will work with you to clearly identify your needs and respond in the most appropriate way.

For efficient assistance 24 hours a day, visit the SEAMAID website under customer service / assistance and select your equipment from the list.



NEW LOYALTY PROGRAM

If you're building, renovating or maintaining swimming pools, or installing equipment such as LED lighting, then this program is for you!

A loyalty program just for professionals?

Because most loyalty programs are aimed at the end consumer, SEAMAID would like to thank all pool and landscaping professionals in Europe.

Some of you have been installing SEAMAID LED lights for many years, and this program rewards you for your trust and loyalty. You earn points based on the amount you spend on SEAMAID products.

To access rewards such as free products, gift cards, holidays and much more, don't wait any longer to join the program!

Are you not yet a SEAMAID Pro customer, but would like to take advantage of our loyalty program?

Our loyalty program is open to all professional pool builders who renovate pools, carry out maintenance or install equipment, particularly LED lighting, in Europe.

So join the SEAMAID pro community!

How does it work?

The products covered by the loyalty program each have a specific number of points depending on their value.

When you buy SEAMAID products from your usual retailer and register them on the SEAMAID website, you earn a certain number of points in return.

You can then convert them into gifts or accumulate them to gain access to greater rewards - the choice is yours!

How to join the SEAMAID loyalty program?

- 1 Log in or create your professional account
- 2 In the menu on the left, click on "My loyalty program"
- 3 Register your products
- 4 Fill in the required fields
- **5** Don't forget to enclose your purchase invoice, so that your application is complete (1 invoice equals 1 registration)

Unlock the biggest rewards by collecting points!



CONTENTS



9 PAR56 LIGHT

PROJECTED WITH THEAD

KIT FOR ABOVE-GROUND POOL

WIRELESS
CONTROL
MODULE

20

26 MOBILE LIGHTING

29


SOLAR LIGHTING

32 ACCESSORY

POS ADVERTISING

SEAMAID ONLINE

EUROPEAN REGULATION



PAR56 LIGHT

PAR56 SEAMAID universal lights can be integrated into all existing projectors, as a replacement for 300W incandescent lights.

Discover our standard version for conventional installation, as well as our Ecoproof™ version, an exclusive SEAMAID product ideal for renovating older projectors.

LEDINPOOL BY SEAMAID

PAR56 light / Back to Contents page





Compatible with most market niches



Suitable for construction, replacement and renovation



Straightforward, safe installation

502655

White lighting
- Dimension : Ø178mm



Cold White




60

13 WATTS







Thanks to its waterproof chamber, the power supply cable can be directly plugged into the light.



Fitting the light into an Aquareva or Hayward projector



Fitting the light into an Astral projector

502679

RGB colour lighting

- Remote control
- 11 fixed colours
- 5 automatic programmes
- Includes a memory of the last programme used and a Reset function.
- Dimension: Ø178 mm

600 LUMENS 90 LED

16 WATTS

Exclusive SEAMAID product















PAR56 light / Back to Contents page

LEDINPOOL BY SEAMAID

Complementary products

Seamaid's renovation and cable connection kits can be used for old pools whose projector and power cable have been damaged.



AQUAREVA renovation kit

ABS crown, Ø290mm, 3 deformable lugs, 6 stainless steel screws, the AQUAREVA renovation kit is available in 5 colors.



The crown of the renovation kit is available in white, light blue, sand, light grey and dark grey:



502372



502327



502334







Light grey Dark grey 502341 502358



NOVELTY

SEAMAID Renovation kit

ABS crown, Ø325mm, 3 deformable lugs, 3 stainless steel screws, the SEAMAID renovation kit is available in 5 colors.



La couronne du kit de rénovation existe en blanc, bleu clair, sable, gris clair et gris foncé:



504260



504277



Sand

504284





Light grey Dark grey 504291 504307



Cable connection

(for old projector with 2x6mm² cable)

501689

(See page 35)



Gelbox

504338

(See page 35)



Lumilink

504017

(See page 25)

For a successful renovation using the PAR56 Ecoproof™ lamp, watch the tutorial carried out in a pond by the SEAMAID team.



LEDINPOOL BY SEAMAID

PAR56 light / Back to Contents page





Compatible with most market niches



Suitable for construction and replacement



Straightforward, safe installation

Did you know?

Remember to replace the projector's watertightness seal, and grease the light using the provided tube of silicone.



Complementary products



Gelbox 504338

(See page 35)



Lumilink

504017

(See page 25)

502815

White lighting - Dimension : Ø178mm





60 LED

13 WATTS









502839

RGB colour lighting

- Remote control
- 11 fixed colours
- 5 automatic programmes
- Includes a memory of the last programme used and a Reset function.
- Dimension: Ø178 mm



90 LED
























PROJECTED WITH THEAD

When building a pool, opting for a projector that screws into a 1.5" wall fitting helps limit any risk of watertightness loss caused by a hole in the pool wall, and makes installation easier.

Discover SEAMAID's innovative and patented solutions for the lighting up the main pool, its stairs, its submerged decking or a swim lane.

LEDINPOOL BY SEAMAID

SEAMAID

Easy to install:

The rear of the plug has a 1.5" male thread, to make it easier to install, as no specialist tools are required. You just need a wall fitting with a 1.5" vacuum fitting at the end, and then screw the rear part of the flat SEAMAID projector into it by hand.

Ø1,5"

Projected with thead / Back to Contents page

502860

White lighting

- Dimension : Ø290mm

6500K

Cold White

1450

60 LED

13 WATTS









502877

RGB colour lighting

- Remote control
- 11 fixed colours
- 5 automatic programmes
- Dimension: Ø290 mm

600 **LUMENS** 90

16 WATTS



Easy, safe installation thanks to in-ground pool installation kit included

Compatible with all types

of pool where installing a

cause leakage problems

conventional projector could





∆ IP68















Projected with thead / Back to Contents page

LEDINPOOL BY SEAMAID

Did you know?

Initially sold with a white crown, it also exists in 7 other colors and metal platted. Match the crowns to the colour of the pool to delight your customers!









Complementary products



Installation kit for above-ground pools

501009

(See page 35)



Gelbox

504338

(See page 35)



Adapter for DESJOYAUX filtration unit

504543

(See page 34)




Lumilink

504017


(See page 25)

Installation recommendations:


It is important to check the compatibility of the vacuum fitting before finalising installation. Certain models equipped with a stop thread are not suitable.




Installation steps



Example for above-ground pools



Example for in-ground pools with liners



Example for thin-walled in-ground pools

LEDINPOOL BY SEAMAID



Projected with thead / Back to Contents page

500859

White lighting

- Dimension : Ø125mm





LED

WATTS









500866

RGB colour lighting


- 11 fixed colours
- 5 automatic programmes
- Dimension: Ø125 mm

LUMENS

36

Easy to install:

The rear of the plug has a 1.5" male thread, to make it easier to install, as no specialist tools are required. You just need a wall fitting with a 1.5" vacuum fitting at the end, and then screw the rear part of the flat SEAMAID mini-projector by hand.























Simple, safe installation with optional SEAMAID installation kit

Compatible with all types

of pool where installing a

cause leakage problems

conventional projector could

Projected with thead / Back to Contents page

LEDINPOOL BY SEAMAID

Complementary products

Did you know?

To guarantee perfect watertightness during installation, SEAMAID developed kits for above-ground and inground pools.



Installation kit for above-ground pools

501009

(See page 35)



Installation kit for in-ground pools

501368

(See page 35)



Gelbox

504338

(See page 35)




Lumilink 504017 (See page 25)


Installation recommendations:

It is important to check the compatibility of the vacuum fitting before finalising installation.


Certain models equipped with a stop thread are not suitable.




Installation steps



Example for above-ground pools



Example for in-ground pools with liners



Example for thin-walled in-ground pools

LEDINPOOL BY SEAMAID

Projected with thead / Back to Contents page



502778

White lighting - Dimension : Ø50mm

6500K

Cold White

680 LUMENS 18 LED

5,5 WATTS







502785

RGB colour lighting


- 11 fixed colours
- 5 automatic programmes
- Includes a memory of the last programme used and a Reset function.
- Dimension: Ø50 mm

360 **LUMENS** LED

WATTS

Easy to install:

The rear of the plug has a 1.5" male thread, to make it easier to install, as no specialist tools are required. You just need a wall fitting with a 1.5" vacuum fitting at the end, and then screw the rear part of the tube SEAMAID projector into it by hand.























Straightforward, safe installation thanks to optional SFAMAID installation kits

Compatible with all types of

pool where installation of a

to watertightness problems

traditional projector could lead

Projected with thead / Back to Contents page

LEDINPOOL BY SEAMAID

Did you know?

The round and square trims, available in five colours and metal platted, make the lighting more attractive. (compatible with vacuum fitting for concrete and liner)



Light blue 503218



Light blue 503317



503225



Sand 503324



Light grey 503232



Light grey 503331



Dark grey 503249



Dark grey 503348



White 503201



White 503300



Metal plating 503256



Metal plating 503355



Delivered with a tool used to screw and unscrew

Complementary products



F2"/M2" extension fitting

501054

(See page 35)



Installation kit for above-ground pools

501009

(See page 35)



Installation kit for in-ground pools

501368

(See page 35)



Gelbox

504338

(See page 35)




Lumilink

504017


(See page 25)


Installation recommendations:

It is important to check the compatibility of the vacuum fitting before finalising installation. Certain models equipped with a stop thread are not suitable.




Installation steps






Example for in-ground pools with liners



Example for thin-walled in-ground pools



KIT FOR ABOVE-GROUND POOL

For lighting up your wood or metal above ground pool, SEAMAID offers projectors that are easy to install, directly onto the existing outlet fitting. No need to drill through the pool wall or own any special tools.

ABOVE-GROUND LIGHTING KIT

above-ground lighting kit / Back to Contents page

LEDINPOOL BY SEAMAID





Hardwearing



Cost-effective



High-performance and efficient

Did you know?

The SEAMAID lighting kit comes with a "ready to install" kit case.

Easy to install:

Simply remove the cover before unscrewing the outlet fitting nozzle. Place the projector's plate against the wall fitting and screw the nozzle back on. If the nozzle model you are using is unsuitable, use the adaptor provided. Feed the cable under the edge and connect it to the mains.

Installation steps





Transformer provided

501498

White lighting

- Dimension: H 350 mm - ~220V/12V 20W transformer with a 6-meter cable and screw adaptor









14 WATTS



PHSW-LED





500699

RGB colour lighting

- Remote control
- 7 fixed colours
- 3 automatic programmes
- Includes a memory of the last programme used and a Reset function.
- Dimension: H 350 mm
- ~220V/12V 20W transformer with a 6-meter cable and screw adaptor


























WIRELESS CONTROL MODULE

With no need to modify your electrical installation, SEAMAID wireless control modules allow you to control your pool lighting with complete peace of mind, using the remote control supplied or a smartphone app.

1-CHANNEL REMOTE CONTROL SWITCH

Wireless control module / Back to Contents page

BY SEAMAID





Did you know?

Fitted with connectors for cable of up to 6 mm2, the radio control switch can be installed without any specific work on the projectors' very low voltage power supply


1 channel model with 2-button remote control

Ideal for managing several fully synchronised SEAMAID projectors. Simple on/off mechanism for white lighting or for managing colours for RGB. Only operates at low voltage, ~12V(AC) or -14-24V(DC), with projectors from the SEAMAID range. Wiring up to 2 x 6 mm².


Input(V)	Protection(A)	Power max.(W)
~ 12V(AC)	20A	12 x 20 = 240W
14V(DC)	20A	14 x 20 = 280W
20V(DC)	20A	20 x 20 = 400W
24V(DC)	20A	24 x 20 = 480W



Installation steps



Complementary products

















BY SEAMAID

Wireless control module / Back to Contents page





Did you know?

Fitted with connectors for cable of up to 6 mm2, the radio control switch can be installed without any specific work on the projectors' very low voltage power supply.


4-channel model with 8-button remote control

Ideal for managing several SEAMAID projectors with 4 independent or fully synchronised lighting areas. Only operates at low voltage, ~12V(AC) or =14-24V(DC), with projectors from the SEAMAID range. Wiring up to 2 x 6 mm².

Input(V)	Protection(A)	Power max.(W)
~12V(AC)	40A	12 x 40 = 480W
14V(DC)	40A	14 x 40 = 560W
20V(DC)	40A	20 x 40 = 800W
24V(DC)	40A	24 x 40 = 960W



Installation steps



Complementary products -

















Wireless control module / Back to Contents page

BY SEAMAID

NOVELTY

LUMILINK

504017

Simply control your SEAMAID LED lights with the Bluetooth module and its LUMILINK app, available for smartphones.

LUMILINK can also be compatible with any other luminaire operating in the same voltage and current ranges.

• ideally installed in the connection box


































MOBILE LIGHTING

Can be used when hiking, camping, in your walk-in wardrobe, on your boat and even underwater!

SEAMAID's NO(T)MAD™ projector provides light wherever you need it.



Mobile lighting / Back to Contents page

BY SEAMAID





5h of independent lighting



Easy to use



100% waterproof

100% waterproof and portable, NO(T)MAD™ provides light wherever you need it: in the garden, house or pool, on your boat, or at the campsite. And its magnetic base means it can be attached anywhere, even in water!

It comes with white or coloured lighting, and can be recharged via USB. With seven colours and three automatic programmes, the light show lasts all night long.

Did you know?

Sky blue, white, navy blue, grey : $NO(T)MAD^{T}$ is now available in 4 colours. The choice is yours!

Professionals, to support marketing and sales of NO(T)MAD™, SEAMAID has created a fun sales help video for you.

Available upon request!



https://youtube.com/playlist?list=PL8mbMHUm8THv4h5l6oKVcvQGftWXf0SsL





















BY SEAMAID

Mobile lighting / Back to Contents page





Rechargeable:

4 to 5 hours of independent lighting 400 charging cycles Non-replaceable Lithium-lon battery



White: **502051**

RGB: **502150**



White: **502037**

RGB: **502136**



White: **502013**

RGB: **502112**



White: **502006**

RGB: **502105**



White lighting

- Dimension: 120x120mm



18 LED 2 WATTS



RGB colour lighting

- 7 fixed colours
- 3 automatic programmes
- Dimension: 120x120mm



18 LED

4 watts

Complementary products

Portable solar panel

502099

This portable solar panel is ideal for charging your NO(T)MAD wherever you take it!

Thanks to its USB connector and 3in1 cable, you can also use it to give your smartphone more autonomy.

















SOLAR LIGHTING

Solar power means you no longer need cables or trenches dug up in your garden!

Used either for occasional lighting or for safety lighting, SEAMAID's wall units are very easy to install.

Solar lighting / Back to Contents page

BY SEAMAID



Independent lighting duration: 100 h on standby

5h when used non-stop




Easy to use




Cast aluminium



Non-replaceable Lithium-ion battery





The choice is yours!

The battery can be replaced by the user.

Adjustable plate makes it easy to fix to the wall.





502471

Rust colour

- Coulour : Neutral White - Dimension : H 250mm x

L 120mm

5000K

Neutral White





502464

Grey colour

- Coulour : Neutral White

- Dimension: H 250mm x

L 120mm

5000K

Neutral White

Discover how the solar wall unit is used





















SOLAR BOLLARD

Solar lighting / Back to Contents page

BY SEAMAID





Independent lighting duration: 100 h on standby 5h when used non-stop



Easy to use




Cast aluminium



Non-replaceable Lithium-ion battery


Did you know?

The solar wall unit is now available in two colours (grey and rust).



The battery can be replaced by the user.

Adjustable plate makes it easy to fix to the wall.





502457

Rust colour

- Coulour : Neutral White
- Dimension: H 815mm x L 120mm

5000K ▼

Neutral White

170 LUMENS 30 LED

3 WATTS



Grey colour

- Coulour : Neutral White
- Dimension: H 815mm x L 120mm

50<u>0</u>0K

Neutral White

170

30 LED

3 WATTS

Discover how the solar wall unit is used






















ACCESSORIES

Used in addition to pool lighting, SEAMAID's accessories will help make installation and use easier, and will optimise lighting reliability over time.

ACCESSORIES

Accessories / Back to Contents page

Wireless equipment



2-button remote control

501474

2-button 433.92MHz remote control for 1-channel wireless module.



4-button remote control

502686

4-button 433.92MHz remote control for 90 colour LED light and projector.



8-button remote control

501481

8-button 433.92MHz remote control for 4-channel wireless module.



4-button remote control

500842

4-button 433.92MHz remote control for 36 colour LED aboveground pool projector kit.



433.92MHz wireless antenna kit, complete with a wall-mounting plate and 3 m coaxial cable for 1- and 4-channel wireless modules.

Power supply



MEANWELL 40W NPF 40-20

504406

Special LED MEANWELL electronic supply, NPF40-20, 40W power, ---20V(DC) stabilised output voltage, IP67.



MEANWELL 60W NPF 60-20

504468

Special LED MEANWELL electronic supply, NPF60-20, 60W power, ==20V(DC) stabilised output voltage, IP67.



MEANWELL 90W NPF 90-20

504475

Special LED MEANWELL electronic supply, NPF90-20, 90W power, = 20V(DC) stabilised output voltage, IP67.



MEANWELL 120W NPF 120-20

504413

Special LED MEANWELL electronic supply, NPF120-20, 120W power, —20V(DC) stabilised output voltage, IP67.





100W DP-100 electrical supply unit

500996


DP-100 electrical supply unit, 100W power, \sim 12V(AC) output voltage, 20A protection, IP65.

NOVELTY



ABS adapter for installing LEDINPOOL flat projectors in DESJOYAUX filtering units

503409



Compatible DESJOYAUX filter units:

- F15
- F25-50
- PFI 180
- Filtering stairs QUIBERON

${\bf Compatible\ LEDINPOOL\ projectors:}$


502860

502877





Discover our video tutorial for easy and safe installation of your LEDINPOOL projector adapter!



https://youtu.be/zKibQfAGmzM

Accessories / Back to Contents page

Installation kit



F2"/M2" extension fitting

501054

ABS threaded extension fitting F2"/M2" for installing a tubular projector.



Installation kit for above-ground pools

501009

Kit including a 3-part ABS M50 glued / F25 threaded with a seal and gland.
To fix behind a 50 mm vacuum fitting or wall fitting when installing flat projectors or mini projectors.



Installation kit for in-ground pools

501368

ABS two-part kit comprising an F2" threaded / F50 glued adapter and F50 glued / M^{3}_{4} threaded. To be used when installing SEAMAID flat projectors and mini projectors for in-ground pools.



Cable connection kit

501689

Cable connection kit specially designed for renovation, including a 40 cm watertight heat shrink sleeve, 2 heat shrink connectors and 1 HO7RNF 2x4 mm² 40 cm cable.

Gelbox

504338

SEAMAID makes your electrical installations safe!

With GELBOX, you protect the electrical equipment but also the users of the pool thanks to a box pre-filled with insulating and reusable gel.

To be installed in the connection box of the pool projector but also in any other application requiring protection against splashes, humidity or permanent immersion.





https://youtu.be/wNYhSr-Prfg



- For 3x1 to 6mm² cables
- Non-toxic and non-expiring
- Ready to use
- Halogen free
- UV resistant
- IP68

For professional shops and retail outlets, SEAMAID presents GELBOX in an individual transparent blister pack as well as in a cardboard display of 32 pieces.



Blister



Display

POS advertising / Back to Contents page

504642

SEAMAID offers dedicated sales aids for stores

With the LEDINPOOL range, you have:

- A shelf display that presents projectors by universe;
 - for construction,
 - for renovation,
 - for replacement,
 - for above-ground pools.

POS kit #504550

- Floor-standing POS display to highlight new products and promotions #504574
- Adhesive shelf-stop for 1-year warranty extension #504567
- Kit of 4 LEDINPOOL kakemonos, 2 large 155cm and 2 small 65cm #504642
- Totem to present the LEDINPOOL range and its performance. FR #504352 UK #504369

If you are a SEAMAID retailer and would like to benefit from our POS displays, please contact our team:

 \bowtie contact@seamaid-lighting.com

+33 (0)4 98 04 62 95





504567

POS ADVERTISING

POS advertising / Back to Contents page







Seamaid online / Back to Contents page

NEW WEBSITE

As SEAMAID's range of products grows, we've designed a new website to provide you with all the products, information and advice you need to choose the right LED solutions for your projects!


Come and discover the PRO space, a connection area totally dedicated to you on www.pro.seamaid-lighting.com!

Intuitive and user-friendly, our website www.seamaid-lighting.com has been redesigned for fluid navigation and a simplified browsing experience: discover our products easily, find features quickly and view advice from our experts in just one click!

Accessible from your computer, smartphone or tablet, wherever you are, browse the SEAMAID blog

in the blink of an eye, so you don't miss any of our

latest news.



And of course, you can always find us on social networks!





SEAMAID



@seamaid_led



SEAMAID

Seamaid online / Back to Contents page



OUR TUTOS AND VIDEOS

Discover videos and tutorials from our experts to help you install SEAMAID LED solutions for your projects!
For you professionals, discover our advertising movies to argue your sales!



Explore this selection of videos to simplify the installation of screw-in projectors during pool construction!

https://youtube.com/playlist?list=PL8mbMHUm8THsfkd_4rk89TkdC_OJ4LVdS

Watch this video to find out how our experts advise you on replacing a PAR56 lamp in your pond!







Our specialists share their tips for installing a PAR56 ECOPROOF™ SEAMAID lamp when renovating your pool!

https://youtube.com/playlist?list=PL8mbMHUm8THsOmiPSIHmpJ7FVLRhJn8wh

Do you have an above-ground pool in wood or metal? Watch our videos to find out how to light this type of pool.

https://youtube.com/playlist?list=PL8mbMHUm8THu6ap8D5VK67AVWYEiNiWbb





Just one light to illuminate wherever you need it? Discover in video all the ways to use the $NO(T)MAD^{m}!$

https://youtube.com/playlist?list=PL8mbMHUm8THv4h5l6oKVcvQGftWXf0SsL

European regulation / Back to Contents page

INTRODUCTION



APPLICATION SINCE 01/09/2021

The member states of the European Union are working together to harmonise standards, directives and regulations related to the placing on the market of electrical energy consuming products and their eco-design.

Most of the products connected to the electrical networks are concerned and the regulations resulting from this collaboration between EU member states are applicable from 1 September 2021, depending on the family to which these products belong.

Because the "lighting" family is concerned, SEAMAID accompanies you to better understand these regulations and the new obligations they entail.

EU 2019/2020 **REGULATION***

This regulation defines the **ecodesign** rules for a light source including energy performance, lifetime, power consumption, ..., to regulate its entry on the market.

The old incandescent and halogen technologies, highly energy consuming, are no longer allowed to be sold in Europe.



Incandescent lamp


Halogen lamp

ONLY COMPLIANT LED LIGHT SOURCES CAN BE SOLD


EU 2019/2015 REGULATION**

This regulation defines the new energy labeling of a light source and replaces the previous regulation EU 874/2012 applied since 2013.

> Old label EU 874/2012



New label EU 2019/2015



- New harmonised energy classification for all product families
- Mandatory declaration in the European EPREL database
- Associated QR code to access the light source data sheet online
- Easy verification by market surveillance authorities or by the end user before purchase

^{*} https://eur-lex.europa.eu/legal-content/FR/TXT/PDF/?uri=CELEX:32019R2020

^{**} https://eur-lex.europa.eu/legal-content/FR/TXT/PDF/?uri=CELEX:32019R2015

European regulation / Back to Contents page

SEAMAID LIGHTINGS


SEAMAID projectors and lamps are luminaires containing an extractable LED light source in either white or RGB lighting.

SEAMAID RGB light sources not producing white colour and those operating solely on battery power are not impacted.

The new classification is indicated on packaging, in notices, catalogues and data sheets of luminaires using the simplified energy class symbol and the associated QR code.

SEAMAID OFFERS YOU THE OPTIMUM IN ENERGY-EFFICIENT LED LIGHTING.





NOTES



LEDINPOOL







